

8501 West Higgins Road Suite 300

CH2M HILL

Chicago, IL 60631
Tel 773.693,3800 x253

Fax 773.693.3823

August 21, 2007

CH2MHILL

Ms. Jena Sleboda Remedial Project Manager U.S. EPA Remedial Response Branch, Region 5 77 West Jackson Blvd (SR-6J) Chicago, IL 60604

Subject: Residential Study Area Near the Former Celotex Site

2800 South Sacramento Avenue, Chicago, IL

Residential Soil Sampling Report - July 2007 Addendum

Dear Ms. Sleboda:

This report is being submitted as an addendum to the FINAL Residential Soil Sampling Report (CH2M HILL, December 2006) that was submitted to the U.S. Environmental Protection Agency (USEPA) on December 6, 2006. This addendum documents the additional residential soil sampling that was conducted in July 2007 within the study area surrounding the former Celotex Site located at 2800 South Sacramento Avenue in Chicago, Illinois (the Site). The additional residential soil sampling documented herein was performed in accordance with the notification submitted to USEPA in a letter dated July 23, 2007. This letter is being submitted on behalf of Honeywell International Inc (Honeywell).

Introduction

Residential soil sampling was conducted in 2006 to characterize the residential study area surrounding the Former Celotex Site to supplement previous sampling. Access agreements to all residential properties within the residential study area could not be obtained during the 2006 event. Additional access agreements were obtained in the Spring of 2007 and associated sampling was completed in May 2007. The additional residential soil sampling outlined in this letter was conducted following receipt of additional access agreements received from property owners after the May 2007 sampling was completed. Five

Ms. Jena Sleboda Page 2 August 21, 2007

additional access agreements were received and those properties were sampled during this additional investigation. These properties are the same as those identified in the July 23 2007 letter to USEPA and are shown on Figure 2-1.

The sampling rationale and field activities for this investigation were conducted in accordance with the approved FINAL Residential Soil Sampling Work Plan (CH2M HILL, June 2006). As stated in the Work Plan, up to five sampling points for each property were collected; with one to two locations in the front yard and three to four in the back. If a small side yard was present, it was combined with the smaller of the front or back yard and sampled as part of the front or back yard composite.

Surface soil samples were collected from the 0 to 6-inch depth interval. To evaluate the vertical extent, shallow subsurface soil samples were collected from the 6 to 24-inch and 24 to 36-inch depth intervals. Sample aliquots from the boring locations in each yard were combined to form the composite sample from each depth interval. The depth intervals (or portions of depth intervals) in yards previously sampled were not re-sampled during this investigation. The depth intervals not sampled previously were sampled to evaluate the potential vertical extent of polycyclic aromatic hydrocarbons (PAHs).

Field Activities

Field activities were completed in July 2007 and were conducted in accordance with the approved FINAL Residential Soil Sampling Work Plan (CH2M HILL, 2006).

Pre-Boring Assessments

After signed access agreements were obtained and prior to sampling, each property was visited to collect site information, and develop an address-specific sampling plan. A site checklist was utilized to obtain and document information collected for each property, including any input from property owners. A complete list of information recorded during the site visit is identified in the FINAL Residential Soil Sampling Report (CH2M HILL, 2006). A site plan with dimensions of site features was created for each property visited. These plans are included in Attachment A.

Utility Locating

Prior to any onsite activity, a utility locate request was submitted to the Chicago Utility Alert Network (DIGGER) for each property. Since DIGGER only locate utilities to the property line, a private locating firm was utilized to locate utilities within the boundaries of each residential property. The private locating firm utilized the DIGGER marks in order to follow the utilities on to the property. In addition, the private locater also connected to exposed utility lines on the residential property (such as gas meters and water spigots) to locate utilities from the property building outward. In most cases the utility marks from both the private locater and DIGGER met at the property line, however sometimes the lines

Ms. Jena Sleboda Page 3 August 21, 2007

did not meet. In these cases, the marks of the private locater were used for the placement of boring locations.

Sampling Activity

Sampling at each property proceeded through the same general sequence of steps based on safe work practices and procedures, required soil sampling methods and procedures, and to minimize disruption and noise to the property occupants and neighborhood. The sampling crew worked with the property owners and occupants to minimize time and impact to each property.

Samples were collected using a 4-foot long Geoprobe® Macro-Core® sampler with dedicated polyethylene soil sleeves driven into the ground using an electric jackhammer. The sampler was removed from the ground using a vehicle floor jack. In locations where this equipment could not be used, a hand auger was utilized to collect soil samples.

A complete list of steps undertaken during the sampling activities, including collection of quality control/quality assurance (QA/QC) samples, is located in the FINAL Residential Soil Sampling Report (CH2M HILL, 2006).

Boring locations were selected in a consistent manner for each similar property layout. The sampling rationale for each sampled property during the July 2007 event is contained in Table 1, where the table is subdivided by sampling area. The boring locations for each property are presented on the site plans in Attachment A.

Sampling Equipment Decontamination

All non-disposable sampling equipment was decontaminated after each use utilizing a laboratory grade detergent wash and distilled water rinse. One equipment blank sample was collected in accordance with QA/QC requirements to ensure cross-contamination was not occurring.

Results of the July 2007 Residential Soil Sampling

Sample Data Evaluation

Lancaster Laboratories Inc., a contracted independent laboratory, conducted the analyses of the soil samples. All soil samples were analyzed for PAHs using the USEPA Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, Method 8270C, Semi-volatile Organic Compounds by Gas Chromatography/Mass Spectrometry. The specific compounds reported consist of the following seven PAHs that contribute to the benzo(a)pyrene equivalent (BAPEQ) concentration:

- Benzo(a)anthracene
- Benzo(a)pyrene

Ms. Jena Sleboda Page 4 August 21, 2007

- Benzo(b)fluoranthene
- Benzo(k)fluoranthene
- Chrysene
- Dibenz(a,h) anthracene
- Indeno(1,2,3-cd)pyrene

The analytical results are presented through calculation of the BAPEQ concentration in accordance with USEPA-approved procedures. The BAPEQ concentration is the sum of the concentrations of seven PAH compounds, after each concentration is multiplied by that compounds relative potency (as compared to benzo(a)pyrene), as shown in Table 2 below.

TABLE 2
PAH Potency Factors
Residential Study Area
Former Celotex Site – Chicago, Illinois

Compound	Relative Potency
Benzo(a)anthracene	0.1
Benzo(a)pyrene	1
Benzo(b)fluoranthene	0.1
Benzo(k)fluoranthene	0.01
Chrysene	0.001
Dibenz(a,h)anthracene	1
Indeno(1,2,3-cd)pyrene	0.1

Compounds that are non-detect were utilized in the calculation by the standard procedure of assigning the value at ½ of the method detection limit. Estimated values (J qualified) were used at the reported value.

BAPEQ Results

The individual PAH results obtained from the July 2007 residential soil sampling event were converted to BAPEQ concentrations to support comparison and evaluation of the results. This data is summarized by portion of the overall residential study area (i.e., northwest quadrant and southwest quadrant) in Table 3 below. The results are further subdivided by sample depth.

Ms. Jena Sleboda Page 5 August 21, 2007

TABLE 3 Summary of BAPEQ Results – July 2007 Residential Study Area Former Celotex Site – Chicago, Illinois

Area ¹	No. Properties	No. Properties with BAPEQ Results ≥ 10 ppm (% of total)			
	Sampled ²	Any Depth	0-6" bgs	6-24" bgs	24-36" bgs
NE	0	NA	NA	NA	NA
NW	2	0 (0%)	0 (0%)	0 (0%)	0 (0%)
SW	3	3 (100%)	3 (100%)	2 (67%)	0 (0%)
Total	5	3 (60%)	3 (60%)	2 (40%)	0 (0%)

¹ Portion of Residential Study Area where NE = Northeast Quadrant; NW = Northwest Quadrant; SW = Southwest Quadrant

The individual property results of the 2007 analyses (presented as BAPEQ) are contained in Attachment B, Table B-1, organized from north to south by street. Attachment B, Tables B-2, B-3, and B-4 identify those properties with BAPEQ results greater than or equal to 10 ppm, 5 ppm, and 2 ppm, respectively, while Attachment B, Figure B-1 illustrates the distribution of properties with results greater than or equal to 10 ppm. Attachment B, Figures B-2a through B-3c illustrate the distribution of BAPEQ results by area and sample depth. A summary of the individual PAH results and QA/QC samples for the 2007 residential soil sampling is provided in Attachment B, Table B-5. This property-specific information contained in Attachment B is considered confidential.

A summary of the non-property-specific BAPEQ results for the July 2007 residential soil sampling are provided in Appendix C, Table C-1.

Copies of the original analytical reports from July 2007 provided by the independent analytical laboratory are available upon request.

Data Validation

Validation of the analytical data generated during the 2007 residential soil sampling event was patterned after the USEPA Contract Laboratory National Functional Guidelines for Organic Data Review (1999). Areas of review include holding time compliance, calibration verification, blank results, matrix spike precision and accuracy, method accuracy as demonstrated by laboratory confirmation samples, field duplicate results, surrogate recoveries, internal standard performance, and interference checks. The data review and validation process is independent of the laboratory's checks and focuses on the usability of

² Residential properties sampled in July 2007

[&]quot; bgs = inches below ground surface, ppm = parts per million; NA = Not Applicable

Ms. Jena Sleboda Page 6 August 21, 2007

the data to support the project data interpretation and decision-making processes. The Data Evaluation is discussed in the memorandum contained in Confidential Attachment D.

The overall assessment of the data indicates that the completeness objectives were met for all method analyte combinations and the precision and accuracy of the data, as measured by the laboratory quality-control indicators, suggests that the project goals have been met.

Conclusions

The additional Residential Soil Sampling was completed in accordance with the USEPA-approved work plan (CH2M HILL, June 2006) and produced analytical results that met the specified quality objectives. The results of this investigation will be utilized to guide residential removal actions as outlined in the FINAL Residential Soil Sampling Report (CH2M HILL, December 2006). Individual property results will be compiled and distributed, along with information on the cleanup process, to the respective property owners in coordination with USEPA. This process will be similar to that conducted during distribution of 2006 and May 2007 residential soil sample results. The removal actions will take place in Fall 2007.

If you have any questions regarding the completed sampling activities, please contact Joel Wipf at 773-693-3800 Ext. 253.

Sincerely,

CH2M HILL

Joel D. Wipf Project Manager

CHC/July2007Res_Sampling_Addendum_EPA_082107_FINAL.doc

c: Karen Peaceman/ USEPA Region 5 Chuck Geadlemann/ Honeywell





TABLE 1 July 2007 Residential Soil Sampling Narrative Residential Study Area Near Former Celotex Site - Chicago, Illinois


Street Number	Street	Sampling Narrative				
Southwest Quadrant						
3031	South Troy Street	Two borings drilled in the front yard and three borings in the backyard.				
3010	South Albany Avenue	Two borings drilled in the front yard and three borings in the backyard.				
3028	South Albany Avenue	No front yard present. Two borings drilled in the back yard due to very small area present. Experienced one refusal.				
Northwest Quadrant						
2650	South Troy Street	Two borings drilled in the front yard. No back yard present.				
2732	South Troy Street	Two borings drilled in the front yard and three borings in the backyard.				

Chicago, Illinois 3010 South Albany Avenue Residential Soil Sampling Report Former Celotex Site **Property Layout** CH2MHIL SOUTH ALBANY AVENUE PARKWAY 9-6 0.9 SIDEWALK 2 8.9 5 SIDEWALK STAIR 30.4 1. SIDEWALK AND PARKWAY WIDTH IS ESTIMATED.
2. BOREHOLE LOCATIONS AND PROPERTY DIMENSIONS ARE APPROXIMATE. 6-2 DECK ADJACENT HOUSE/GARAGE WOOD FENCE STAIR SOIL BORING LOCATION 126'-1" IRON/METAL FENCE CHAIN-LINK FENCE BARE SOIL AREAS WOOD FENCE 36-6 BROKEN CONCRETE LEGEND SB2 NOTES: STORAGE AREA WITH ROOF CHAIN-LINK FENCE -CHAIN-LINK FENCE 19:-0. SCALE IN FEET NORTH STORAGE BUILDING GARAGE 20.4 x05c3010a_327757.dgn 327757.H2 ASPHALT ALLEY "0-'82

3028 South Albany Avenue Residential Soil Sampling Report Former Celotex Site Chicago, Illinois SOUTH ALBANY AVENUE **Property Layout** CHZMHIL CONCRETE CONCRETE 7.-0" PARKWAY 6.-0 SIDEWALK CONCRETE 10'-2" PORCH STAIRS SIDEWALK 30.-6 NOTES:
1. SIDEWALK AND PARKWAY WIDTH IS ESTIMATED.
2. BOREHOLE LOCATIONS AND PROPERTY DIMENSIONS ARE APPROXIMATE. HOUSE <u>'</u> 121'-6" - E-BUR -- UNDERGROUND ELECTRIC LINE ADJACENT HOUSE/GARAGE 27:-0" CONCRETE/BRICK WALL SOIL BORING LOCATION IRON/METAL FENCE GRASSED AREAS WOOD FENCE SB2 WOOD FENCE 18'-10" SIDEWALK CONCRETE PATIO 24'-2" WOODEN GATE NORTH SIDEWALK 50.-6 ASPHALT ALLEY
25'-0"

rx05c3028a_327757.dgn





rx05c3025t_327757.dgn

Property Layout 3031 South Troy Street Residential Soil Sampling Report Former Celotex Site Chicago, Illinois CH2MHIL .0-,SZ .11-.61 ..l-.G ROOF AREA GARAGE 23'-3" 28'-0" NOTES: 1. SIDEWALK AND PARKWAY WIDTH IS ESTIMATED. 2. BOREHOLE LOCATIONS AND PROPERTY DIMENSIONS ARE APPROXIMATE. 125'-11" 22'-5" --- E-BUR -- UNDERGROUND ELECTRIC LINE ADJACENT HOUSE/GARAGE SOIL BORING LOCATION CHAIN-LINK FENCE GRASSED AREAS GARDEN AREAS WOOD FENCE GATE 2-STORY HOUSE SIDEWALK 40'-1" 12-2" 5.6" SIDEWALK PARKWAY 327757.H2 SOUTH TROY STREET

rx05c3031t_327757.dgn

REDACTED

ATTACHMENT B

Confidential Summary of Analytical Results

ATTACHMENT C

Non-Property Specific Summary of July 2007 BAPEQ Results

ATTACHMENT D

Confidential July 2007 Data Validation Memorandum